



Unidad Industrial Coatzacoalcos

SALES SPECIFICATION

EVCI-234

TRIETHANOLAMINE 80%

08/22/24

1 of 2

Revision

04

FORMULA: $N(CH_2-CH_2-OH)_3$

MOL WT: 149.19

DESCRIPTION

At higher than room temperature, it is a clear, hygroscopic and viscous liquid.

APPLICATIONS

Intermediary in the preparation of antifreeze, detergents, cosmetics, gel and shampoos.

SPECIFICATIONS

TEST METHOD

Appearance ⁽¹⁾	Clear liquid		MP-207
Triethanolamine, wt. %	80.0	Min.	MP-245
Water, wt. %	18.0	Min.	MP-220
	20.0	Max.	
Color, Pt. Co. Scale	30.0	Max.	MP-216
Equivalent Weight	181.0	Min.	MP-240
	185.0	Max.	
Specific Gravity, 20/20 °C	1.1150	Min.	MP-241
	1.1300	Max.	

Notes:

(1) At temperatures below 7 ° C (44.6 ° F), the product begins to solidify

AVAILABILITY

In bulk or steel and/or plastic drums containing 230 kg net wt max (507 lb net) or IBC containers with 1000 kg or 1100 kg.

Headquarters: Av. Paseo de las Palmas 781, Piso 2, Colonia Lomas de Chapultepec III Sección, Miguel Hidalgo, C.P. 11000, Ciudad de México. Tel. 55 2789-2200

COATZACOALCOS Plant: km 4.2 Boulevard Morelos, Parque Industrial Petroquímico Morelos, Coatzacoalcos, Veracruz 96400



Unidad Industrial Coatzacoalcos

SALES SPECIFICATION

EVCI-234

TRIETHANOLAMINE 80%

08/22/24

2 of 2

Revision

04

Website

www.grupoidesa.com

Email Commercial: pedidosidesa@idesa.com.mx **Quality:** Calidad.Idesa@idesa.com.mx